

www.cube-biotech.com

PureCube Fe-NTA MagBeads

Product	Catalog No.	Package size
PureCube Fe-NTA MagBeads (1 mL)	31501-Fe	1 x 1 mL
PureCube Fe-NTA MagBeads (5 mL)	31505-Fe	1 x 5 mL
PureCube Fe-NTA MagBeads (25 mL)	31525-Fe	1 x 25 mL
PureCube Fe-NTA MagBeads (4 x 25 mL)	31590-Fe	4 x 25 mL

Product Description

PureCube Fe-NTA MagBeads were developed for the enrichment of phosphorylated proteins. The affinity matrix is based on spherical magnetic agarose beads, consisting of 6% cross-linked agarose. The material is highly porous to allow optimal protein interaction. Cross-linked agarose is also physically very stable, making it suitable for purification processes without deformation or destruction. Our magnetic beads are very homogeneous in size with a medium particle diameter of 30 μ m, yielding a high degree of reproducibility between individual purification runs.

An NTA ligand is coupled to the agarose and carefully loaded with iron ions to obtain a matrix with highest binding capacity. The metal ion capacity is > 12 μ eqv Al³⁺/mL. Other possible metal ions are Ni²⁺, Zn²⁺, Al³⁺, Co²⁺, and Cu²⁺ resulting in different affinities, e.g. for zinc-finger proteins or his-tagged proteins. If required, the iron ions can be removed from the magnetic beads using 5 wash steps with 100 mM EDTA, and the magnetic beads can be recharged with a different metal ion. Alternatively, please contact us for unloaded PureCube NTA magnetic beads.

PureCube Fe-NTA MagBeads are delivered as a 25% suspension. Therefore, 1 mL suspension will yield a 250 μ L bed volume. The suspension contains 20% ethanol to prevent microbial growth.

Protein Binding Capacity

The protein binding capacity varies and depends on the specific application.

Compatitibility

PureCube Fe-NTA MagBeads are very stable and can resist the following conditions in most situations: pH 2-4, 100% methanol, 100% ethanol, 8 M urea, 6 M guanidinium hydrochloride, 30% (v/v) acetonitrile.

Shipping & Storage

Shipment Temperature	Ambient temperature
Short-term Storage	In equilibration buffer (see protocol)
Long-term Storage	In 20% ethanol at 4 °C

Additional Information

For protein purification protocols, please visit our webpage at: <u>www.cube-biotech.com/protocols</u>. For purification of proteins with gravity flow columns and low pressure chromatography, we recommend using PureCube Fe-NTA Agarose. For affinity purification of GST-tagged, rho-tagged or strep[®]-tagged proteins, Cube Biotech offers dedicated agarose resins, magnetic beads and prepacked cartridges. Also available are a range of ultrapure detergents and buffers for extraction and purification of proteins. See <u>www.cube-biotech.com/products</u> for details.

<u>Disclaimer</u>: Our products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

Trademarks: Strep-tag[®] (IBA GmbH).

Proteins are our passion.